

# Assessment of effectiveness of sports massage in supporting of warm-up

Boguszewski Dariusz<sup>1</sup>, Kowalska Sylwia<sup>2</sup>, Adamczyk Jakub Grzegorz<sup>1,3</sup>, Białoszewski Dariusz<sup>1</sup>

Rehabilitation Department. Medical University of Warsaw<sup>1</sup>

Students Science Society. Rehabilitation Department. Medical University of Warsaw<sup>2</sup>

Theory of Sport Department. University of Physical Education in Warsaw<sup>3</sup>

## Annotation:

**Purpose:** Warm-up is necessary part of sports training, because prepare the body for exercises and minimize the risk of injury. The aim of this study was assess the effectiveness of two types of warm-up: aerobic exercises and exercises with sports massage (before). **Material and Methods:** The research covered 59 women. All of them did fitness tests two times. Each test was preceded by a different form of warm-up (aerobic exercises, exercises with massage). For examined the differences t-Student test was used. **Results:** Warm-up with massage had positive effect for fitness level. More effective was exercises preceded by massage – differences in results (after the standard warm-up and warm-up with massage) in every tests were significant ( $p < 0.001$ ). **Conclusion:** Alternative form of warm-up can be effective way to preparing the body for exercises and make the training more attractive.

**Богущески Дариуш, Ковалска Сильвия, Адамчук Якуб Грегощ, Бялошевски Дариуш. Оценка эффективности спортивного массажа в поддержке разминки. Цель:** Разминка является необходимой частью спортивной тренировки для подготовки тела к упражнениям и сведения к минимуму риска получения травмы. Целью данного исследования было оценить эффективность двух типов разминки: аэробные упражнения и упражнения со спортивным массажем (до разминки). **Материалы и методы:** Исследование охватывало 59 женщин. Все они выполняли фитнес-тесты два раза. Каждый тест предшествовал другой форме разминки (аэробные упражнения, упражнения с массажем). Для оценки эффективности использовался t-критерий Стьюдента. **Результаты:** Разминка с массажем показала положительное влияние на уровень физической подготовки. Более эффективным оказались упражнения, которым предшествовал массаж – различия в результатах (после стандартной разминки и разогрева с массажем) в каждом из тестов были достоверны ( $p < 0,001$ ). **Вывод:** Альтернативная форма разминки может быть эффективным способом подготовки тела для упражнений и позволяет сделать обучение более привлекательным.

**Богущески Дариуш, Ковалска Сильвия, Адамчук Якуб Грегощ, Бялошевски Дариуш. Оцінка ефективності спортивного масажу в підтримці розминки. Мета:** Розминка є необхідною частиною спортивного тренування для підготовки тіла до вправ і зведення до мінімуму ризику отримання травми. Метою даного дослідження було оцінити ефективність двох типів розминки: аеробні вправи і вправи зі спортивним массажем (до розминки). **Матеріали і методи:** Дослідження охоплювало 59 жінок. Всі вони виконували фітнес-тести два рази. Кожен тест передував іншій формі розминки (аеробні вправи, вправи з массажем). Для оцінки ефективності використовувалася t-критерій Стьюдента. **Результати:** Розминка з массажем показала позитивний вплив на рівень фізичної підготовки. Більш ефективним виявилися вправи, яким передував масаж – відмінності в результатах (після стандартної розминки і розігрівання з массажем) у кожному з тестів були достовірні ( $p < 0,001$ ). **Висновок:** Альтернативна форма розминки може бути ефективним способом підготовки тіла для вправ і дозволяє зробити навчання більш привабливим.

## Keywords:

warm-up, sports massage, fitness, women.

разминка, спортивный массаж, фитнес, женщины.

розминка, спортивний масаж, фітнес, жінки.

## Introduction

Properly conducted training consists of three main elements: warm-up, actual exercises and cool-down [1]. Warm-up is considered to be an indispensable element of preparation to each physical activity, however, according to some authors, such as Bishop or Fradkin, there is little scientific evidence proving its effectiveness [2, 3, 4].

Warm-up techniques may be divided into two categories: passive and active warm-up. Passive warm-up is based on the application of external factors, such as hot shower, sauna, bath, diathermy, or warm compress. Passive warm-up does not cause the body to lose its energy substrates. On the other hand, there is active warm-up, which assumes properly selected physical exercises, which may include jogging, gymnastics, cycling, or swimming. Stretching is also an important element of a successful warm-up, since it prevents muscles from being damaged. However, this type of warm-up is usually applied when preparing for sports trainings and their effects [5, 6].

The main purpose of a warm-up is to increase the inflow of blood to the muscles, providing working muscles with an additional supply of oxygen and nutrients and raising their temperature to the optimal value of approximately 37°C [1, 2, 7]. Of course we should remember, that core

© Boguszewski Dariusz, Kowalska Sylwia, Adamczyk Jakub Grzegorz, Białoszewski Dariusz, 2014  
doi: 10.5281/zenodo.10496

temperature is generally close to about 37°C, while the temperature of the surface of the body can be much more diversified and lowered as a result of exercises. It's an effect of the perspiration and returning heat by working muscles [8]. Moreover, warm-up reduces muscle stiffness and increases the number of stimuli in motoneurons. Moreover, warming up exercises applied prior to physical activity also aim at increasing the effectiveness of thermoregulation through the activation of sweat glands. Thanks to such mechanisms, a warm-up alone does not result in raising internal body temperature [1, 5, 7].

Properly conducted warm-up should take from 5 to 20 minutes, depending on the type of exercises to be performed. Short warm-up is usually applied when preparing for endurance training. Long warm-up, on the other hand, is applied when preparing for intensive power and speed exercises. It should be emphasized, however, that, in order not to waste the effects of preliminary exercises, the interval between the end of warm-up and the beginning of training should not exceed 15 minutes [1, 7].

The primary purpose of the research was to evaluate the effectiveness of two forms of warm-up exercises (standard warm-up – based on general developmental exercises and sports massage of the lower limbs preceding proper warm-up) in preparing for physical exercises.

## Material and Methods

The research covered 59 women attending fitness classes on a regular basis (at least three times a week). The age of women participating in the research was 29.3 ( $\pm 11$ ), in average. Their average height was 166.9 cm ( $\pm 4.8$ ) and their average body weight was 61.7 kg ( $\pm 6.3$ ). For comparative purposes, the research group was divided into sub-groups, in which the criterion for division was:

- age – women after the age of 30 (n=25) and before the age of 30 (n=34),
- training experience – women with less than a year's experience in exercising (n=35) and women with more than a year's experience in exercising (n=24),
- exercising in the past – women who exercised in the past (n=29) and women who did not exercise in the past (n=30).

All women participating in the research received two various forms of preparation to physical exercise: standard warm-up and warm-up preceded by sports massage of lower limbs. After having received all types of warm-up, the women underwent fitness tests and filled in survey questionnaires.

Standard warm-up was the first type of preparation to physical exercise. Here, the warm-up was based on copying steps from aerobics to the rhythm of music. The recommended tempo of music was 130-135 BPM. The exercise consisted of the following steps: march in place, toe step, step touch, twice, hill back, knee up, grapevine, which additionally engaged the upper limbs. The steps were arranged in a simple choreographic block, suitable for any exercising person. Then, additional stretching exercises for neck, shoulder, trunk and lower limb muscles were introduced. To close the session, several breathing exercises were performed. This warm-up took approximately 10 minutes [9].

The second form of preparation to physical exercise was sports massage of the lower limbs followed by standard warm-up (described above). The massage was performed manually. The duration of the procedure was approximately eight minutes (four minutes for each leg), and the position, in which the massage was performed was sitting with legs bent. The massage was a power massage applying the following techniques: sliding, compression, kneading, percussion [10, 11, 12, 13].

After having performed all forms of warm-up, the women were asked to undergo specific fitness tests, the results of which were entered to special data sheets. The intervals between particular evaluations were seven days [14].

Four fitness tests were carried out as part of the research: a power test – long jump from standing (the length of the jump was measured), a test of suppleness – a bend to the front performed on a bench (the distance of the tip of the longest finger to the ground was measured), a speed test – a 10-second run in one spot, clapping hands below the knees (the number of claps decided on the result) and an physical efficiency test – the Ruffier Test (the Ruffier coefficient was used to evaluate the results

of the test). The Ruffier Test was based on performing 30 squats in 30 seconds and monitoring pulse during the rest immediately following the exercise and after one minute of the rest. The Ruffier coefficient is calculated basing on the following formula [14]:

$$IR = [(P + P1 + P2) - 200]/10$$

IR – Ruffier Index

P – resting pulse

P1 – pulse measured immediately after the test

P2 – pulse measured after 1 minute of the rest

Standard statistical analysis methods were applied in evaluating empirical data. The results of particular fitness tests were presented with the use of arithmetic means ( $\bar{x}$ ), taking into account the standard deviation (SD) factor. The significance of disparities between couples of variables were evaluated using the t-Student test for dependent groups, assuming  $p < 0.05$  as the minimal significance level.

## Results

Standard warm-up basing on aerobic exercises (without massage) proved to be the least effective method of preparing to physical exercises, compared to applying massage. Women applying sports massage acquired considerably better results ( $p=0.000$ ) in all tests (tab. 1). The biggest disparities were recorded in the results of the speed test, and the smallest ones – in the physical efficiency test. The most beneficial results in all fitness tests were achieved with warm-up preceded by sports massage.

Analyzing the results of particular sub-groups, it may be claimed that non-standard form of preparation to physical exercise (warm-up preceded by massage) had greater impact on women under the age of 30. The biggest differences in all sub-groups were recorded with respect to power, flexibility and speed tests. Massage had the slightest impact there – particularly among younger women with smaller experience in training (tab. 2).

## Discussion

Increased physical activeness has beneficial effect on the health of every human being. This is because particular systems and organs are activated and exercised as a result of changes occurring in the course of and after physical training. However, in order to prepare for physical exercise in the correct way, one needs to warm up properly.

Research proves that properly chosen warm-up has beneficial effect on the results of fitness tests. Proper preparation to physical exercise is also commonly applied in rehabilitation. Brzęk and Nowotny-Czupryna [15] examined how warm-up influences the results of fitness tests in patients who suffered from heart attack. Their research proved that warm-up performed prior to physical exercise has effect on the results of the submaximal strain test both in men and women. Additionally, patients suffering from cardiologic conditions who applied proper warm-up displayed increased endurance of larger strains. The next precious piece of information was the fact that

Table 1.

*Average results (with SD) of fitness tests preceded by two kind of warm-up*

	Aerobic exercises		Exercises with massage		Difference [p]
	mean value	SD	mean value	SD	
<b>POWER</b> long jump [cm]	132.47	19.9	146.45	19.1	0.000
<b>FLEXIBILITY</b> deep bend [cm]	1.67	10.1	7.93	9.5	0.000
<b>SPEED</b> run with taping [n of tapping]	28.12	4.7	34.55	4.7	0.000
<b>PHYSICAL EFFICIENCY</b> Ruffier Test [IR]	9.27	3.7	6.74	3.5	0.000

Table 2

*Results of fitness tests preceded by two kind of warm-up in subgroups*

subgroups	kind of warm-up	<b>POWER</b> long jump [cm]	<b>FLEXI-BILITY</b> deep bend [cm]	<b>SPEED</b> run with taping [n of tapping]	<b>PHYSICAL EFFICIENCY</b> Ruffier Test [IR]
persons over 30 years old	only exercises	117.5	0.3	24.6	7.72
	massage	133.78 **	5.89 ***	31.89 ***	5.74 *
persons under 30 years old	only exercises	137.13	1.37	29.38	9.42
	massage	150.09 ***	8.41 ***	35.32 ***	6.78 ***
persons practicing under 1 years old	only exercises	135.25	-0.1	28.7	9.86
	massage	149.56 ***	5.78***	35.72 ***	6.8 ***
persons practicing over 1 years old	only exercises	128.5	4.21	27.28	8.43
	massage	142.15 ***	10.92 ***	32.92 ***	6.67 **
persons practicing sport in the past	only exercises	141.55	5.25	29.1	9.36
	massage	154.06 ***	11.72 ***	34.83 ***	7.22 ***
persons not practicing sport in the past	only exercises	116.79	-4.92	26.35	8.29
	massage	133.31 ***	2.08 ***	33.61 ***	5.45 ***

\* p<0.05; \*\* p<0.01; \*\*\* p<0.001: differences between measurement after standard warm-up and warm-up with massage.

warm-up preceding a strain test had considerable effect on lowering the value of maximum and final pulse [15].

The next, very important aspect of warming up before proceeding to training is injury prevention [16, 17]. Research conducted by Malliou in Greece on 404 aerobics instructors proves that proper warm-up combined with stretching and cool-down after training lowers the risk of the occurrence of personal injuries [18]. Similar conclusions were raised by Obałkowska [5], who claimed

that proper warm-up has great impact on the properties of muscles, and, in result, contributes to minimizing the possibility of injuries. Research conducted by Subasi et al. [19] confirms the positive impact of warm-ups in injury prevention as well.

The results of research on the impact of massage as a preparatory element to physical exercise do not always lead to identical conclusions [20, 21, 22, 23, 24]. What is actually proven is the positive effect on the mental sphere,

which is the key factor in some sport disciplines (e.g. combat sports) [22, 25, 26]. In the case of fitness tests, positive impact of massage was recorded in short-term exercises [21, 27]. In the case of the research referred to herein, the impact of massage was the smallest in the Ruffier Test measuring physical efficiency. It should be emphasized, however, that massage has undeniable impact on injury prevention.

Sports massage produce mechanic stimuli which, as such, cause numerous local and general changes in human body. Applying proper techniques, one may stimulate particular tissues: muscular and skin tissue as well as particular systems: nervous, circulatory, excretory, breathing and alimentary system. In response to massage, the body raises its temperature in the area being massaged for approx. 1.5-1.8°C. A specific direction of massage, for instance in the direction of the heart causes the blood to circulate faster from the veins and capillary vessels, thanks to which the tissues of the body part being massaged expel the products of metabolism and absorb nutrients more actively [10, 12].

The application of alternative forms of preparation to physical exercise may not only increase the effectiveness of training itself but also make the training more attractive. The primary purpose of sports or recreational training is increasing the strength and physical efficiency

of the entire organism. In order to make this process more efficient, exercise must be performed on a regular basis, which could lead to monotony and boredom. Therefore, it is essential that we prepare our bodies for training on a proper way.

It seems justified that further research in this matter focused on a larger, more diversified group of people with respect to age, sex, health condition, height-weight parameters, experience in physical training, or even lifestyle. In addition, warm-up may be followed by other physiotherapeutic procedures or various forms of stretching, the results of which may also be evaluated [28, 29].

### Conclusions

1. Warm-up preceded by sports massage was the most effective method of preparing to physical exercise. Active engagement of physiotherapists in preparing sportsmen to physical exercise and the introduction of massage as an element of warming up before contests could improve the psychomotor abilities of contestants.
2. Sports massage may serve as interesting supplements to traditional warm-up procedures, both for professional sportsmen, and amateurs.
3. The present results may be the basis for a prospective randomized study involving a more diverse group of people.

### References

1. Bompa T.O., Haff G.G. *Periodization. Theory and Methodology of Training*. Human Kinetics, Champaign 2009, 200 p.
2. Bishop D. Potential mechanisms and the effects of passive warm up on exercise performance. *Sports Medicine* 2003, vol. 33(6), pp. 439-454.
3. Bishop D. Performance changes following active warm up and how to structure the warm up. *Sports Medicine* 2003, vol. 33(7), pp. 483-498.
4. Frandkin A.J., Zazryn T.R., Smoliga J.M. Effects of warming-up on physical performance: a systematic review with meta-analysis. *Journal of Strength and Conditioning Research* 2010, vol. 24(1), pp. 140-148.
5. Obalkowska A. Muscle strain – mechanism of injury and prevent [Naciągnięcia mięśni – mechanizmy urazu, zapobieganie]. *Physiotherapy [Fizjoterapia]*. 2003, vol.11(4), pp. 37-50.
6. Weider J. Why we need the warm-up? [Dlaczego potrzebna nam jest rozgrzewka?]. *Muscle and Fitness*. 1996, vol. 2, pp. 21-23.
7. Czarkowska-Pączek B., Przybylski J. *Outline of physical exercises physiology [Zarys fizjologii wysiłku fizycznego]*. Urban & Partner, Wrocław, 2006, 160 p.
8. Adamczyk J.G., Siewierski M., Boguszewski D. Correlation of muscles quadriceps femoris temperature and power measured by vertical jump height. *Theory and practice of physical culture*. 2012, vol. 7, pp. 94-97.
9. Olex-Zarychta D. Fitness. Fitness. *Theoretical and methodological basis conducting classes [Teoretyczne i metodyczne podstawy prowadzenia zajęć]*. Katowice, 2009, 212 p.
10. Benjamin P.J., Lamp S.P. *Understanding Sports Massage*. Human Kinetics, Champaign. 2005 240 p.
11. Hart J.M., Swanik B., Tierney R.T. Effects of sport massage on limb girth and discomfort associated with eccentric exercise. *Journal of Athletic Training*. 2005, vol. 40(3), pp. 181-185.
12. Magiera L., Walaszek R. *Sports massage with the elements of rest and recovery [Masaż sportowy z elementami odnowy biologicznej]* Biosport, Kraków. 2004, 200 p.
13. Boguszewski D., Kowalska S., Adamczyk J.G., Korabiewska I. The application of sports massage and self-massage as alternative forms of warm-up support for men regularly doing strength training. Pilot study. *Human and Health*, 2012, vol.VI(1), pp. 161-166.
14. Bielski J. *Life is movement [Życie jest ruchem]*. Wydawnictwo Agencja Promo-Lider, Warszawa, 1996, 216 p.
15. Brzęk A., Nowotny-Czupryna O. Impact of warm-up on fitness tes in in patients after myocardial infarction [Wpływ rozgrzewki na wynik próby wysiłkowej pacjentów po zawale mięśnia sercowego]. *Physiotherapy [Fizjoterapia]*. 2004, vol. 12(2), pp. 5-12.
16. Shier I. Warm-up and stretching in the prevention of muscular injury. *Sports Medicine*. 2008, vol. 38(10), pp. 879-880.
17. Woods K., Bishop P., Jones E. Warm-up and stretching in the prevention of muscular injury. *Sports Medicine* 2007, vol. 37(12), pp. 1089-1099.
18. Maiiou P., Rokka S., Beneka A., Mavridis G., Godolias G. Reducing risk of injury due to warm up and cool down in dance aerobics instructors. *Journal of Back and Musculoskeletal Rehabilitation* 2007, vol. 20, pp. 29-35.
19. Subasi S.S., Gelecek N., Aksakoglu G. Effects of different warm-up periods on knee proprioception and balance in healthy young individuals. *Journal of Sport Rehabilitation*. 2008, vol. 17, pp. 186-205.
20. Arabaci R. Acute effects of pre-event lower limb massage on explosive and high speed motor capacities and flexibility. *Journal of Sports Science and Medicine*. 2008, vol. 7, pp. 549-555.
21. Arroyo-Morales M., Fernández-Lao C., Ariza-García A., Toro-Velasco C., Winters M., Díaz-Rodríguez L., Cantarero-Villanueva I., Huijbregts P., Fernández-De-las-Peñas C. Psychophysiological effects of preperformance massage before isokinetic exercise. *Journal of Strength and Conditioning Research*. 2011, vol. 25(2), pp. 481-488.
22. Beyleroglu M., Kolayis H., Ramazanoglu F., Hazar M., Cenk A., Bajorek W. Relation between warm- up with massage before competition and the result of the struggle and performance boxers. *Archives of Budo*. 2009, vol. 5: 25-27.
23. Dawson L.G., Dawson K.A., Tiddus P.M. Evaluating the influence of massage on leg strength, swelling, and pain following a half-marathon. *Journal of Sports Science and Medicine*. 2004, vol. 3, pp. 37-43.
24. Robertson A., Walt J.M., Galloway S.D.R. Effects of leg massage on recovery from high intensity cycling exercise. *British Journal of Sports Medicine*. 2004, vol. 38, pp. 173-176.

25. Boguszewski D., Dąbek A., Korabiewska I., Białoszewski D. Relation between back massage and anxiety level. *New Medicine*. 2010, vol. 13(1), pp. 18-21.
26. Zeitlin D., Keller S.E., Shiflett S.C., Schleifer S.J., Barlett J. Immunological effect of massage therapy during academic stress. *Psychosomatic Medicine*. 2000, vol. 62, pp. 83-84.
27. Boguszewski D., Kwapisz E. Sports massage and local cryotherapy as a way to reduce negative effects of rapid weight loss among kickboxing contestants. *Archives of Budo*. 2010, vol. 6(1), pp. 45-51.
28. Beedle B.B., Mann C.L. A comparison of two warm-ups on joint range of motion. *Journal of Strength and Conditioning Research*. 2007, vol. 21(3), pp. 776-779
29. Huang S.Y., Di Sonato M., Wadden K.P., Cappa D.F., Alkanani T., Behm D.G. Massage induces greater range of motion. *The Journal of Strength and Conditioning Research*. 2010, vol. 24(7), pp. 1917-1924.

---

**Информация об авторах:**

**Богущески Дариуш:** ORCID: 0000-0002-8343-8870; dboguszewski@wum.edu.pl; Медицинский университет в Варшаве ул. Звирки и Фигуры, 81, 02-091, Варшава, Польша.

**Ковалска Сильвия:** ORCID: 0000-0002-9148-6004; dwb@o2.pl; Медицинский университет в Варшаве ул. Звирки и Фигуры, 81, 02-091, Варшава, Польша.

**Адамчук Якуб Грегощ:** ORCID: 0000-0003-4558-1585; jadamczyk@wum.edu.pl; Медицинский университет в Варшаве ул. Звирки и Фигуры, 81, 02-091, Варшава, Польша.

**Бялошевски Дариуш:** ORCID: 0000-0003-0369-3941; dbialoszewski@wum.edu.pl; Медицинский университет в Варшаве ул. Звирки и Фигуры, 81, 02-091, Варшава, Польша.

**Цитируйте эту статью как:** Богущески Дариуш, Ковалска Сильвия, Адамчук Якуб Грегощ, Бялошевски Дариуш. Оценка эффективности спортивного массажа в поддержке разминки // Педагогіка, психологія та медико-біологічні проблеми фізичного виховання і спорту. – 2014. – № 10. – С. 67-71. doi:10.5281/zenodo.10496

Электронная версия этой статьи является полной и может быть найдена на сайте: <http://www.sportpedagogy.org.ua/html/arhive.html>

Эта статья Открытого Доступа распространяется под терминами Creative Commons Attribution License, которая разрешает неограниченное использование, распространение и копирование любыми средствами, обеспечивающими должное цитирование этой оригинальной статьи (<http://creativecommons.org/licenses/by/3.0/deed.ru>).

Дата поступления в редакцию: 25.04.2014 г.  
Опубликовано: 05.05.2014 г.

---

**Information about the authors:**

**Boguszewski Dariusz:** ORCID: 0000-0002-8343-8870; dboguszewski@wum.edu.pl; Medical University of Warsaw; Zwirki i Wigury 81, 02-091 Warsaw, Poland.

**Kowalska Sylwia:** ORCID: 0000-0002-9148-6004; dwb@o2.pl; Medical University of Warsaw; Zwirki i Wigury 81, 02-091 Warsaw, Poland.

**Adamczyk Jakub Grzegorz:** ORCID: 0000-0003-4558-1585; jadamczyk@wum.edu.pl; Medical University of Warsaw; Zwirki i Wigury 81, 02-091 Warsaw, Poland.

**Białoszewski Dariusz:** ORCID: 0000-0003-0369-3941; dbialoszewski@wum.edu.pl; Medical University of Warsaw; Zwirki i Wigury 81, 02-091 Warsaw, Poland.

**Cite this article as:** Boguszewski Dariusz, Kowalska Sylwia, Adamczyk Jakub Grzegorz, Białoszewski Dariusz. Assessment of effectiveness of sports massage in supporting of warm-up. *Pedagogics, psychology, medical-biological problems of physical training and sports*, 2014, vol.10, pp. 67-71. doi:10.5281/zenodo.10496

The electronic version of this article is the complete one and can be found online at: <http://www.sportpedagogy.org.ua/html/arhive-e.html>

This is an Open Access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited (<http://creativecommons.org/licenses/by/3.0/deed.en>).

Received: 25.04.2014  
Published: 05.05.2014